

### AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method for generating a user interface that explains to a user a computer system's search logic and results, comprising:
  - presenting a presentation model to explain how a system model relates a plurality of search input elements to a comparison element, wherein the comparison element is selected from a list of potential comparison elements, and wherein the system model is used to determine a first search result;
  - presenting how the system model is related to the comparison element; and
  - presenting a relative importance of the system model in comparison with the comparison element.
2. (Original) The method as recited in claim 1, further comprising:
  - presenting how parts of the system model are related to parts of the comparison element.
3. (Original) The method as recited in claim 2, further comprising:
  - presenting a relative importance of the parts of the system model in comparison with parts of the comparison element.
4. (Original) The method as recited in claim 2, further comprising:
  - presenting how parts of each of the plurality of search input elements are related to parts of the system model.
5. (Original) The method as recited in claim 4, further comprising:
  - presenting a relative importance of the parts of the plurality of search input elements in comparison with the parts of the system model.
6. (Original) The method as recited in claim 1, further comprising:
  - saving the system model.
7. (Previously Presented) The method as recited in claim 1, further comprising:
  - receiving a modification to the plurality of search input elements to create a new plurality of search input elements;
  - determining a second search result;

updating the system model to create a new system model incorporating the modification;  
 presenting how the new system model is related to the comparison element; and  
 presenting a new relative importance of the new system model in comparison with the  
 comparison element.

8. (Currently Amended) A machine for generating a user interface that explaining to a user a computer system's search logic and results, comprising:

a processor;

a storage device coupled to the processor;

a search component storable on the storage device and executable on the processor to  
 accept at least one search input element and determine a first search result using a  
 system model; and

a presentation component storable on the storage device and executable on the processor  
 to create a presentation of a presentation model relating the system model to ~~one of~~  
~~the first search result~~ a comparison element, wherein the comparison element is  
selected from a list of potential comparison elements.

9. (Original) The machine as recited in claim 8, wherein:

the processor is a server; and

further wherein the processor is capable of receiving the at least one search input element  
 from a client.

10. (Original) The machine as recited in claim 8, wherein the processor is capable of  
 communicating in a wireless Internet environment.

11. (Currently Amended) A tangible machine-accessible medium having associated content  
 capable of directing ~~the a machine~~ to perform a method for generating a user interface that  
explaining to a user the machine's search logic and results, the method comprising:

performing an application to accept at least one search input element and to produce at  
 least one search result using a system model, the application having search logic;

presenting a presentation model to explain how the system model relates the at least one  
 search input element to a comparison element, wherein the comparison element is  
selected from a list of potential comparison elements;

presenting a contribution of the comparison element to the system model; and  
presenting a relative importance of the system model in comparison with the comparison element.

12. (Currently Amended) The tangible machine-accessible medium as recited in claim 11, further comprising:

presenting a contribution of parts of the comparison element to parts of the system model;  
and  
presenting a relative importance of parts of the system model in comparison with parts of the comparison element.

13. (Currently Amended) The tangible machine-accessible medium as recited in claim 11, further comprising:

accepting at least one modification to the at least one search input element;  
dynamically updating the system model and the presentation model;  
dynamically updating the contribution of each of the comparison element to the system model; and  
dynamically updating the relative importance of the system model in comparison with the comparison element.

14. (Currently Amended) The tangible machine-accessible medium as recited in claim 11, wherein the application is an electronic mail application.

15. (Currently Amended) The tangible machine-accessible medium as recited in claim 11, wherein the application is an Internet search engine.

16. (Currently Amended) The tangible machine-accessible medium as recited in claim 11, wherein the application is a database application.

17. (Currently Amended) The tangible machine-accessible medium as recited in claim 11, wherein the application is an e-commerce application.

18. (Currently Amended) The tangible machine-accessible medium as recited in claim 11, wherein the application is a document management application.

19. (Currently Amended) A user interface that explains to a user a computer system's search logic and results, comprising:

an input scheme for receiving at least one search input element;  
a presentation model for presenting at least one search result using a system model, the presentation model further for explaining how a system model relates the at least one search input element to a comparison element, wherein the comparison element is selected from a list of potential comparison elements, the presentation model further for; and  
presenting an explanation of search logic.

20. (Canceled) Please cancel Claim 20 without prejudice.

21. (Currently Amended) The user interface as recited in claim 20 wherein the presentation model is; further for comprising:

presenting a relative importance of the comparison element to the system model.

22. (Currently Amended) The user interface as recited in claim 21, wherein the input scheme is further for comprising:

receiving at least one modification to the at least one search input element; and  
the presentation model is further capable of dynamically updating the explanation of search logic.

23. (Currently Amended) A method for generating a user interface that explaining to a user a computer system's search logic and results, comprising:

receiving a basis of a search, the basis comprising at least one item;  
presenting the basis in a retained-items list;  
creating a similarity profile from the retained-items list;  
generating a suggested-items list from the similarity profile, the suggested-items list comprising at least one item;  
presenting the suggested-items list as search results; and  
providing an option to present the similarity profile.

24. (Original) The method as recited in claim 23, further comprising:  
receiving a selected item from the suggested-items list;  
receiving a request for presentation of the similarity profile for the selected item; and  
presenting a presentation comparing the selected item to the similarity profile.
25. (Original) The method as recited in claim 24, wherein presenting the presentation comparing the selected item to the similarity profile comprises:  
computing a profile-word importance for each word in the similarity profile;  
computing a degree of match for each word in the selected item in relation to the similarity profile using the profile-word importance;  
presenting the profile-word importance for each word in the similarity profile; and  
presenting the degree of match for each word in the selected item in relation to that same word in the similarity profile.